

**REQUEST FOR PROPOSAL
ARPA VEH
BID #2022-01-APRA-VEH**

DATE: March 15, 2022

**The Galveston County Food Bank
624 4th Ave N
Texas City, TX 77590
Phone (409) 945-4232
Website <http://www.galvestoncountyfoodbank.org>**

USDA Nondiscrimination Statement

In accordance with Federal civil rights law and U.S. Department of Agriculture (USDA) civil rights regulations and policies, the USDA, its Agencies, offices, and employees, and institutions participating in or administering USDA programs are prohibited from discriminating based on race, color, national origin, sex, disability, age, or reprisal or retaliation for prior civil rights activity in any program or activity conducted or funded by USDA.

Persons with disabilities who require alternative means of communication for program information (e.g. Braille, large print, audiotape, American Sign Language, etc.), should contact the Agency (State or local) where they applied for benefits. Individuals who are deaf, hard of hearing or have speech disabilities may contact USDA through the Federal Relay Service at (800) 877-8339. Additionally, program information may be made available in languages other than English.

To file a program complaint of discrimination, complete the [USDA Program Discrimination Complaint Form](http://www.ascr.usda.gov/complaint_filing_cust.html), (AD-3027) found online at: http://www.ascr.usda.gov/complaint_filing_cust.html, and at any USDA office, or write a letter addressed to USDA and provide in the letter all of the information requested in the form. To request a copy of the complaint form, call (866) 632-9992. Submit your completed form or letter to USDA by:

- (1) mail: U.S. Department of Agriculture
Office of the Assistant Secretary for Civil Rights
1400 Independence Avenue, SW
Washington, D.C. 20250-9410;
 - (2) fax: (202) 690-7442; or
 - (3) email: program.intake@usda.gov.
- This institution is an equal opportunity provider.

March 15, 2022

The Galveston County Food Bank (GCFB) is securing bids for The Food Bank's fleet that is aging and downtime occurs often due to repairs. To help meet future demands from the activities listed, GCFB will replace and/or add the following vehicles:

- Tandem axle day-cab tractor, CDL
- Three (3) Box Truck – 24 feet, refrigerated, single axle, non CDL with Maxon lift gate
- Pickup Truck to haul trailers
- Box Truck-26 feet, refrigerated, tandem axle, CDL with Maxon lift gate

. Vehicles are to be delivered to the Galveston County Food Bank located at: 624 4th Ave N, Texas City, TX 77590.

The Galveston County Food Bank (GCFB) is requesting bids to replace the vehicles listed.

GENERAL CONDITIONS FOR BIDDERS:

Delivery

The Galveston County Food Bank is located at 624 4th Ave N, Texas City, TX 77590

Submission Guidelines

The Galveston County Food Bank is a tax exempt 501(c)(3) non-profit, our Tax Exemption Certificate shall be provided to the awarded bidder.

Bidding begins March 15, 2022 and ends at 5:00 PM on May 2, 2022 at the Galveston County Food Bank.

1. Bids shall be executed and submitted via e-mail. Please submit to Donnie Van Ackeren donnie@galvestoncountyfoodbank.org
 - a. Please include in the Email Subject Line: 2022-01-ARPA-VEH
 2. Bids will be opened at 10:00 AM, May 2, 2022
 3. Should you have any questions concerning this request for proposals, please let us know via email jeff@galvestoncountyfoodbank.org.

Sincerely,

Donnie Van Ackeren
President
Galveston County Food Bank

Section 1

REQUEST FOR PROPOSALS

This document contains a Request for Proposals for cardboard boxes and packaging materials. The Houston Food Bank operates TEFAP, CSFP, SFSP, and CACFP established by the United States Department of Agriculture and sets forth the terms and conditions applicable to the proposed procurement. Upon acceptance, this document shall constitute the award between the successful bidder and the Institution. (Accepting a bid does not constitute acceptance of the contract.)

Soliciting Institution:

Galveston County Food Bank
624 4th Ave N
Texas City, TX 77590
(409) 945-4232

Bid number: 2022-01-ARPA-VEH

Bid Issue Date: March 15, 2022

Bid Due Date: April 15, 2022

Bid Opening Date: May 2, 2022

Prompt Payment Discount: ____ % for payment within ____ days *(completed by bidder)*

Total Estimated Amount of Bid: _____ *(completed by bidder - in lieu of completing, bidders may supply additional bid amount detail on attachment)*

By submission of this bid, the bidder certifies that, in the event he receives an award under this solicitation, he shall operate in accordance with all applicable, current program regulations.

Name of Bidder:	Name of Authorized Representative:
<i>Print or Type Name of Company</i>	<i>Print or Type Name of Representative</i>
Street Address:	By:
	<i>Signature of Representative</i>
City, State, and Zip Code:	Title:
Telephone Number:	Date:

ACCEPTANCE

Bid Name & Number:	Institution Name:
2022-01-ARPA-VEH	<u>Galveston County Food Bank</u>
Institution's Authorized Representative:	
<u>Donnie Van Ackeren</u>	<i>Institution Signature</i>
Title: President and CEO	Date:

Section 2

Certificate of Independent Price Determination

- (a) By submission of this bid, the bidder certifies, and in the case of a joint bid, each party thereto certifies, as to its own organizations, that in connection with this procurement:
1. The prices in this bid have been arrived at independently, without consultation, communication or agreement, for the purpose of restricting competition, as to any matter relating to such prices with any other bidder or with any competitor;
 2. Unless otherwise required by law, the prices which have been quoted in this bid have not been knowingly disclosed by the bidder and will not knowingly be disclosed by the bidder prior to bid opening, directly or indirectly to any other bidder or to any competitor; and
 3. No attempt has been made or will be made by the bidder to induce any person or firm to submit or not to submit, a bid for the purpose of restricting competition.
- (b) Each person signing this bid certifies that:
- ☐ The person in the bidder's organization is responsible within that organization for the decision as to the prices being offered herein and that he has not participated, will not participate, in any action contrary to (a)(1) through (a)(3) above; or
- ☐ The person in the bidder's organization is not responsible within that organization for the decision as to the prices being offered herein but that he has been authorized in writing to act as agent for the persons responsible for such decision in certifying that such persons have not participated and will not participate, in any action contrary to (a)(1) through (a)(3) above, and as their agent does hereby so certify; and he has not participated, and will not participate, in any action contrary to (a)(1) through (a)(3) above.

Signature of bidder's authorized representative

Title _____ Date _____

In accepting this bid, the Institution certifies that the Institution's officers, employees or agents have not taken any action which may have jeopardized the independence of the bid referred to above. (Accepting a bid does not constitute acceptance of the contract.)

Signature of Authorized Institution Representative

Note: Institution and Bidder shall execute this Certificate of Independent Price Determination.

Section 3

Instructions to Bidders

1. Definitions

As used herein:

- a) The term “bid” means an offer to perform the work described in this Request for proposals at the fixed unit price specified in accordance with the terms and conditions of the solicitation.
- b) The term “bidder” refers to a company submitting a bid in response to this Request for proposals.
- c) The term “contractor” means a successful bidder who is awarded a contract by an Institution under The Emergency Food Assistance Program (TEFAP), Commodity Supplemental Food Program (CSFP), Child and Adult Care Food Program (CACFP), and Summer Food Service Program (SFSP) under the U. S. Department of Agriculture.
- d) The term “Request for proposals”, hereafter referred to as RFP, means the document soliciting bids through the formal advertising method of competitive sealed bid procurement.
- e) The term “Institution” means the Galveston County Food Bank that operates TEFAP, CSFP, CACFP, and SFSP Program which is issuing this RFP.
- f) The Institution’s contact is Donnie Van Ackeren, President or Jeff Gordon, Special Projects – Donnie@galvestoncountyfoodbank.org or jeff@galvestoncountyfoodbank.org.
- g) The term “responsive” means the bidder conforms to all material terms and conditions of the RFP.
- h) The term “responsible” means the bidder is capable of successfully performing under the terms and conditions of the contract.

Other terms shall have the meanings ascribed to them in TEFAP, CSFP, CACFP, and SFSP regulations.

2. Submission of Bids

- a) Bidders are expected to examine carefully the specifications, schedules, attachments, terms and conditions of this RFP. Failure to do so shall be at the bidder’s risk.
- b) Bids shall be executed and submitted by email.
- c) The copy marked “original” shall be governing should there be a variance between that copy of the bid and other copies submitted by the bidder. No

changes in the specifications or general conditions are allowed. Erasures on this bid shall be initialed by the bidder prior to submission.

- i) If accepted, this RFP will be signed by an authorized representative of the Institution and a fully executed copy will be forwarded to the successful bidder as the notice of award.
- d) The successful bidder shall provide a contract, using the specifications outlined in this RFP to the Galveston County Food Bank by **5:00 PM April 15, 2022** to the attention of Donnie Van Ackeren, donnie@galvestoncountyfoodbank.org.
- e) An interested party may protest the solicitation, the cancellation of the solicitation, or the award or proposed award of a contract in writing by contacting The GCFB President via email at donnie@galvestoncountyfoodbank.org.

Failure to comply with any of the above shall be reason for rejection of the bid.

3. Explanation to Bidders

Any explanation/questions desired by a bidder regarding the meaning or interpretation of the RFP specifications, etc., must be requested by email to donnie@galvestoncountyfoodbank.org by 5:00 PM on April 15, 2022 to allow sufficient time allowed for a reply to reach all bidders before bid opening.

Oral explanations or instructions given before the award of the contract shall not be binding. Any information given to a prospective bidder concerning an RFP shall be furnished to all prospective bidders as an amendment to the RFP if such information is necessary to bidders in submitting bids on the RFP or if the lack of such information would be prejudicial to uninformed bidders.

4. Acknowledgment of Amendments to Submitted Bids

Receipt of an amendment to a bid by a bidder must be acknowledged by signing and returning the amendment. Such acknowledgment must be received prior to the hour and date specified for bid opening.

5. Discounts

Although a blank is provided for a time discount, prompt payment discounts offered for payment in less than twenty calendar days will not be considered in evaluating bids for award. However, offered discounts of less than twenty days will be taken if payment is made within the discount period even though not considered in the evaluation of bids. (NOTE: Payment discounts may only be used to determine the low bid when prior experience of the Institution indicates that such discounts are generally taken).

6. Bidders Having Interest in More than One Bid

If more than one bid is submitted by any one person, by or in the name of a clerk, partner, or other person, all such bids shall be rejected.

7. Time for Receiving Bids

Sealed bids shall be deposited at the address specified on the RFP of the Institution no later than the exact time and date indicated on the face of this RFP. Bids received prior to the time of opening will be securely kept, unopened.

8. Error in Bids

Bidders or their authorized representatives are expected to fully inform themselves as to the conditions, requirements and specifications before submitting bids; failure to do so shall be at the bidder's own risk and he cannot secure relief on the plea of error.

9. Award of Contract

- a) The contract will be awarded to the best responsive and responsible bidder meeting the specific requirements.
- b) The Institution reserves the right to reject any or all bids when there are sound documented business reasons in the best interest of the Program and to waive informalities and minor irregularities in bids received.
- c) The Institution reserves the right to reject the bid of a bidder who has previously failed to perform properly or complete on time contracts of a similar nature, or the bid of a bidder who investigation shows is not in a position to perform the contract. Other factors that may be considered include, but are not limited to the bidder's integrity, compliance with public policy, and financial and technical resources.

10. Late Bids, Modifications of Bids or Withdrawals of Bids

- a) Any bid received after the exact time specified for receipt will not be considered.
- b) A bid may also be withdrawn in person by a bidder or his authorized representative, provided his identity is made known and he signs a receipt for the bid, but only if the withdrawal is made prior to the exact time set for receipt of bids.
- c) The only acceptable evidence to establish the date of emailing of a late bid, modifications or withdrawal is providing evidence of the sent time of the email in the form of a screenshot displaying the time and date with the subject line listed above.

11. Confidentiality

- a) Bidder covenants that all data, documents, discussion, or other information developed or received by bidder or provided for performance of this Agreement are deemed confidential and shall not be disclosed by Bidder without written authorization by GCFB.
- b) GCFB shall grant such authorization if disclosure is required by law. Bidder's covenant under this Section shall survive the termination of this Agreement.

12. Addition and Removal of Locations

- a) GCFB is required periodically to increase or decrease its fleet size and locations due to changes in demand.
- b) GCFB needs the flexibility to communicate these changes to the contractor and easily update the contract under the existing contract terms and without incurring excessive additional cost for the changes.

13. Bidder Selection

GCFB intends to select the bid with the best value based on the scoring matrix, but it reserves the right to choose multiple bidders in order to meet the needs of GCFB.

Section 4 Scope

The Galveston County Food Bank (GCFB) is requesting bids for The Food Bank's fleet that is aging and downtime occurs often due to repairs. To help meet future demands from the activities listed, GCFB will replace and/or add the following vehicles:

- One (1) Tandem axle day-cab tractor, CDL
- Three (3) Box Truck – 24 feet, refrigerated box, refrigeration unit with electric standby, single axle, non CDL with Maxon Rail Gate w/ 5,500LBS capacity
- One (1) Box Truck – 26 foot refrigerated box, refrigeration unit with electric standby, tandem axle, CDL with Maxon Rail Gate w/ 5,500LBS capacity

Vehicle Specifications are attached

1. The Galveston County Food Bank (GCFB) is requesting bids for:
 - a. One (1) Tandem axle day-cab tractor, CDL
 - b. Three (3) Box Trucks – 24 feet, roll-up rear doors, refrigerated box, refrigeration unit with electric standby and freezer temperature capabilities, single axle, non CDL with Maxon Rail Gate w/ 5,500LBS capacity
 - c. One (1) Box Truck – 26 foot refrigerated box, roll-up rear doors, refrigeration unit with electric standby and freezer temperature capabilities, tandem axle, CDL with Maxon Rail Gate w/ 5,500LBS capacity
 - d. All five (5) trucks to include an Allison Automatic Transmission
 - e. All five (5) trucks to include pricing for a 60 Month / 250,000 Mile warranty (Engine and After treatment) or Similar, which is your standard warranty the GCFB purchases
2. They are to be delivered to the GCFB warehouse, 624 4th Ave. N in Texas City.
3. Please see attached specification sheet for vehicles.
4. Provide instructions and assistance for product warranties.
5. Provide estimated delivery date
6. Any catalog, brand name or manufacturer's references used in this RFB is descriptive only (not restrictive) and is to indicate type and quality desired. Bids of like nature and quality will be considered unless advertised under a proprietary justification.

If bidding on other than referenced brand(s) specified, Bidder **must** submit as part of their bid the following:

An exception list to indicate where the alternate product(s) quoted differs from that specified.

Descriptive literature, illustrations, and/or specifications of quoted product(s).

NOTE: If no exception is taken to reference data or specifications, Bidder will be required to furnish the exact brand name(s)/product(s) as specified.
7. Price to include delivery to GCFB, 624 4th Ave N., Texas City TX
8. Please provide 3 references

Section 5 Submission Criteria

Provide the following information in the response lines below or attached to the submitted RFP.

A. Costs – The purchase price plus the total long-term cost to the Galveston County Food Bank to acquire the Contractor's goods or services. Please provide details about the type of pricing used (i.e. Bill Rate, Mark-up, etc) by Contractor and break down the different elements of the pricing including fees, taxes, etc. Provide any additional cost details in the lines below:

B. Description of Bidder – include locations of offices and persons responsible for services and point of contact for Galveston County Food Bank.

C. Statement of understanding of the services requested – include a narrative and work plan outlining an approach for addressing the requirements of the RFP

D. Quality of previous work – Examples of supplies requested as well as client testimonials and references

E. Statement of the bidder's qualifications and financial capability as they relate to the scope of services – copies of recent audit, a current financial statement or a copy of the contractor's federal income tax return with all amendments preferred. References from a minimum of 3 sources preferred.

12

F. Technical Expertise and Experience: Provide descriptions and documentation of staff technical expertise and experience

G. Additional services: Additional services outside the listed scope of services supplier will provide i.e. green initiative and social responsibility, inventory management, etc.

H. Additional information the bidder deems appropriate to assist in evaluating the proposal. Additional points will be awarded to Minority (MBE), HUB, Women-owned (WBE), Disadvantaged (DBE), Persons with Disabilities (PDBE), Veteran (VBE), Service Disabled Veteran (SDVBE) or Small (SBE) Business Enterprises with proof of these classifications.

Evaluation of Bidders

Each bidder will be evaluated on the following factors:	Total Possible Points
1 copy of the bid submitted by email with signatures	Required
Bidder representative signatures: <ul style="list-style-type: none"> • RFP Solicitation – pg. 4 • Certificate of Independent Price Determination – pg. 5 • Clean Air and Water Certification – pg. 23 • Form AD-1048 – pg. 24 • Certification Regarding Lobbying – pg. 27 	Required
A. Cost of Goods and Services	55
B. Description of Bidder	5
C. Statement of Understanding	8
D. Quality of previous work	7
E. Statement of the bidders' qualifications and financial capability - higher points given to complete financial, tax or audit records and references from 3 sources.	5
F. Technical Expertise and Experience	5
G. Additional Services	5
H. Additional relevant information - higher points given to those with proof of certification.	10
Max Possible Points	100

Section 6

General Conditions

1. Length of Contract

This contract will be in effect for Click 12 months beginning May 2, 2022 or date of agreement approval by the Galveston County Food Bank and shall end April 30, 2023, with the option to renew for one (1) additional year.

2. Payment

Invoices should be e-mailed to: PAYABLES@galvestoncountyfoodbank.org

It is the Galveston County Food Bank's policy to pay in full in net 30 days.

3. Termination Clause

The successful bidder's contract must include the following termination provisions:

- a) **For cause** - by Institution or contractor with thirty (30) days written notification.
- b) **The Institution's right to terminate** - If the contractor fails to comply with any of the requirements of the contract. The Institution shall notify the contractor of specific instances of noncompliance, in writing. In instances where the contractor has been notified of noncompliance with the terms of the contract and has not taken immediate corrective action, the Institution shall have the right, upon written notice, of immediate termination of the contract and the contractor shall be liable for any damages incurred by the Institution. The Institution shall negotiate a repurchase contract on a competitive basis to arrive at a fair and reasonable price.
- c) The Institution shall, by written notice to the contractor, terminate the right of the contractor to proceed under this contract if it is found by the Institution that gratuities in the form of entertainment, gifts, favors, anything of monetary value or otherwise were offered or given by the contractor or contractor's employees or subcontractors to any officer, employee or agent of the Institution.
- d) In the event this contract is terminated as provided in paragraph (b) hereof, the Institution shall be entitled: (i) to pursue the same remedies against the contractor as it could pursue in the event of a breach of the contract by the contractor;
- e) and (ii) as a penalty, in addition to any other damages in any amount which shall not be less than three, nor more than ten times the costs incurred by the contractor in providing any such gratuities to any such officer or employee.
- f) The rights and remedies of the Institutions provided in this clause, shall not be exclusive, and are in addition to any other rights and remedies provided by law or under this contract.

Section 7

General Provisions

Equal Opportunity

(The following clause is applicable unless this contract is exempt under the rules, regulations, and relevant orders of the Secretary of Labor [41 CFR ch. 60].)

During the performance of the contract, the contractor agrees as follows:

- a) The contractor will not discriminate against any employee or applicant for employment because of race, color, religion, sex, age, disability, or national origin. The contractor will take affirmative action to ensure that applicants are employed, and that employees are treated during employment without regard to their race, color, religion, sex, age or national origin. Such action shall include, but not be limited to, the following: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided by the Contracting Officer setting forth the provisions of this Equal Opportunity clause.
- b) The contractor will, in all solicitation or advertisements for employees placed by or on behalf of the contractor, state that all qualified applicants will receive consideration for employment without regard to race, color, religion, sex, age, disability or national origin.
- c) The contractor will send to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding, a notice, to be provided by the agency Contracting Officer, advising the labor union or workers' representative of the contractor's commitments under this Equal Opportunity clause, and shall post copies of the notice in conspicuous places available to employees and applicants for employment.
- d) The contractor will comply with all provisions of Executive Order No. 11246 of September 24, 1965, as amended by Executive Order No. 11375 of October 13, 1967, and of the rules, regulations, and relevant orders of the Secretary of Labor.
- e) The contractor will furnish all information and reports required by Executive Order No. 11246 of September 24, 1965, as amended by Executive Order No. 11375 of October 13, 1967, and by the rules, regulations, and orders of the Secretary of Labor, or pursuant thereto, and will permit access to his books, records, and accounts by the contracting agency and the Secretary of Labor for purposes of investigation to ascertain compliance with such rules, regulations, and orders.
- f) In the event of the contractor's noncompliance with the Equal Opportunity clause of this contract or with any of the said rules, regulations, or orders, this contract may be canceled, terminated, or suspended, in whole or in part, and the contractor may be declared ineligible for further Government contracts in accordance with Procedures

authorized in Executive Order 11246 of September 24, 1965, as amended by Executive Order No. 11375 of October 13, 1967, and such other sanctions as may be imposed and remedies invoked as provided in Executive Order No. 11246 of September 24, 1965, as amended by Executive Order 11375 of October 13, 1967, or by rule, regulations, or order of the Secretary of Labor, or as otherwise provided by law.

- g) The contractor will include the provisions of paragraphs a) through g) in every subcontract or purchase order unless exempted by rules, regulations, or orders of the Secretary of Labor issued pursuant to Section 204 of Executive Order No. 11246 of September 24, 1965, as amended by Executive Order No. 11375 of October 13, 1967, so that such provisions will be binding upon each subcontractor or Institution. The contractor will take such action with respect to any subcontract or purchase order as the contracting agency may direct as a means of enforcing such provisions, including sanctions for noncompliance: Provided, however, that in the event the contractor becomes involved in, or is threatened with, litigation with a subcontractor or Institution as a result of such direction by the contracting agency, the contractor may request the United States to enter into such litigation to protect the interests of the United States.

Clean Air and Water

(Applicable only if the contract exceeds \$100,000 or the Contracting Officer has determined that the orders under an indefinite quantity contract in any one year will exceed \$100,000, or a facility to be used has been the subject of a conviction under the Clean Air Act [42 USC 7413(c)(1) or the Federal Water Pollution Control Act [33 USC 1319(c)] and is listed by EPA, or the contract is not otherwise exempt.)

- a) The contractor agrees as follows:
- i) To comply with all the requirements of Section 114 of the Clean Air Act, as amended [42 USC 7414] and Section 308 of the Federal Water Pollution Control Act [33 USC 1251, et seq.], respectively, relating to inspection, monitoring, entry, reports and information as well as other requirements specified in Section 114 and Section 308 of the Air Act and the Water Act, respectively, and all regulations and guidelines issued hereunder before the award of this contract.
 - ii) That no portion of the work required by this contract will be performed in a facility listed on the Environmental Protection Agency List of Violating Facilities on the date when this contract was awarded unless and until the EPA eliminates the name of such facility or facilities from such listing.
 - iii) To use his best efforts to comply with clean air standards and clean water standards at the facilities in which the contract is being performed.
 - iv) To insert the substance of the provisions of this clause in any nonexempt subcontract, including this paragraph (a)(4).
- b) The terms used in this clause have the following meanings:

- i) The term “Air Act” means the Clean Air Act, as amended [42 USC 7401, et seq.].
- ii) The term “Water Act” means Federal Water Pollution Control Act, as amended [33 USC 1251 et seq.].
- iii) The term “Clean Air Standards” means any enforceable rules, regulations, guidelines, standards, limitations, orders, controls, prohibitions, or other requirements which are contained in, issued under, or otherwise adopted pursuant to the Air Act or Executive Order 11738, an applicable implementation plan as described in Section 110(d) of the Clean Air Act [42 USC 7410], an approved implementation procedure or plan under Section 111(c) or Section 111(d), respectively, of the Air Act [42 USC 7411] or Section 111(d), respectively, of the Air Act [42 USC 7411], or an approved implementation procedure under Section 112(d) of the Air Act [42 USC 7412].
- iv) The term “Clean Water Standards” means any enforceable limitation, control, condition, prohibition, standard, or other requirement which is promulgated pursuant to the Water Act or contained in a permit issued to a discharger by the Environmental Protection Agency or by a State under an approved program, as authorized by Section 402 of the Water Act [33 USC 1342] or by local government to ensure compliance with pretreatment regulations, as required by Section 307 of the Water Act [33 USC 1317].
- v) The term “compliance” means compliance with clean air or water standards. Compliance shall also mean compliance with a schedule or plan ordered or approved by a court of competent jurisdiction, the Environmental Protection Agency or an Air or Water Pollution Control Agency in accordance with the requirements of the Air Act or Water Act and regulations issued pursuant thereto.
- vi) The term “facility” means any building, plant, installation, structure, mine, vessel, or other floating craft, location or sites of operations, owned, leased or supervised by a contractor or subcontractor to be utilized in the performance of a contract or subcontracts. Where a location or site of operations contains or includes more than one building, plant, installation, or structure, the entire location or site shall be deemed to be a facility except where the Director, Office of Federal Activities, Environmental Protection Agency, determines that independent facilities are co-located in one geographical area.

Clean Air and Water Certification

The bidder certifies as follows:

- a) Any facility to be utilized in the performance of this proposed contract has ☐, has not ☐ been listed on the Environmental Protection Agency List of Violating Facilities.
- b) He will promptly notify the Contracting Officer, prior to award, of the receipt of any communication from the Director, Office of Federal Activities, U. S. Environmental Protection Agency, indicating that any facility which he proposes to use for the performance of the contract is under consideration to be listed on the EPA List of Violating Facilities.
- c) He will include substantially this certification, including this paragraph c) in every nonexempt subcontract.

Signature of Authorized Representative, Bidder

Date

Energy Policy and Conversation Act (42 USC 6201, et seq.)

The contractor shall comply with all mandatory standards and policies relating to energy efficiency which are contained in the State energy conservation plan issued in compliance with the Energy Policy and Conservation Act (42 USC 6201, et seq.)

Contract Work Hours and Safety Standards Act-Overtime Compensation

The contractor shall comply with Sections 103 and 107 of the Contract Work Hours and Safety Standards Act (the "Act"), 40 USC 3702, 3704, as supplemented by Department of Labor regulations, 29 CFR, Part 5. Under Section 103 of the Act, contractor shall be required to compute the wages of every laborer on the basis of a standard workweek of 40 hours. Work in excess of the standard workweek is permissible provided that the worker is compensated at a rate of not less than 1 ½ times the basic rate of pay for all hours worked in excess of 40 hours in any workweek. Section 107 of the Act provides that no laborer or mechanic shall be required to work in surroundings or under working conditions, which are unsanitary, hazardous or dangerous to his health and safety as determined under construction, safety and health standards promulgated by the Secretary of Labor.

Section 8

U. S. DEPARTMENT OF AGRICULTURE

**Certification Regarding Debarment, Suspension, Ineligibility
And Voluntary Exclusion - Lower Tier Covered Transactions**

This certification is required by the regulations implementing Executive Order 12549, Debarment and Suspension, 7 CFR Part 417, Section 417.332, Participants' responsibilities.

(BEFORE COMPLETING CERTIFICATION, READ INSTRUCTIONS ON REVERSE)

- 1) The prospective lower tier participant certifies, by submission of this proposal, that neither it nor its principals is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any Federal department or agency.
- 2) Where the prospective lower tier participant is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this proposal.

Organization Name
Name

PR/Award Number or Project

Name(s) and Title(s) of Authorized Representative(s)

Signature(s)

Date

Form AD-1048 (1/92)

Instructions for Certification

1. By signing and submitting this form, the prospective lower tier participant is providing the certification set out on the reverse side in accordance with these instructions.
2. The certification in this clause is a material representation of fact upon which reliance was placed when this transaction was entered into. If it is later determined that the prospective lower tier participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the department or agency with which this transaction originated may pursue available remedies, including suspension and/or debarment.
3. The prospective lower tier participant shall provide immediate written notice to the person to which this proposal is submitted if at any time the prospective lower tier participant learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.
4. The terms "covered transaction", "debarred", "suspended", "ineligible", lower tier covered transaction", "participant", "person", "primary covered transaction", "principal", "proposal", and "voluntarily excluded", as used in this clause, have the meanings set out in the Definitions and Coverage sections of rules implementing Executive Order 12549. You may contact the person to which this proposal is submitted for assistance in obtaining a copy of those regulations.
5. The prospective lower tier participant agrees by submitting this form that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency with which this transaction originated.
6. The prospective lower tier participant further agrees by submitting this form that it will include this clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion - Lower Tier Covered Transactions", without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions.
7. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that it is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant may decide the method and frequency by which it determines the eligibility of its principals. Each participant may, but is not required to, check the Non-Procurement List.
8. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of a participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.

9. Except for transactions authorized under paragraph 5 of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department or agency with which this transaction originated may pursue available remedies, including suspension and/or debarment.

Form AD-1048 (1/92)

Section 9

PROCUREMENT Certification Regarding Lobbying

Applicable to Grants, Sub-grants, Cooperative Agreements, and Contracts exceeding \$100,000 in Federal funds.

Submission of this certification is a prerequisite for making or entering into this transaction and is imposed by section 1352, Title 31, U.S. Code. This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.

The undersigned certifies, to the best of his or her knowledge and belief, that:

- (1) No Federal appropriated funds have been paid or will be paid by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, an employee of a Member of Congress, or any Board Member, officer, or employee of **GCFB** in connection with the awarding of a Federal contract, the making of a Federal grant, the making of a Federal loan, the entering into a cooperative agreement, and the extension, continuation, renewal, amendment, or modification of a Federal contract, grant, loan, or cooperative agreement.
- (2) If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, an employee of a Member of Congress, or any Board Member, officer, or employee of **GCFB** in connection with this Federal grant or cooperative agreement, the undersigned shall complete and submit Standard Form-LLL, "Disclosure Form to Report Lobbying", in accordance with its instructions.
- (3) The undersigned shall require that the language of this certification be included in the award documents for all covered sub-awards exceeding \$100,000 in Federal funds at all appropriate tiers and that all sub-recipients shall certify and disclose accordingly.

Name/Address of Organization

Name/Title of Submitting Official

Signature

Date

Section 9 (cont.)

Disclosure of Lobbying Activities

Complete this form to disclose lobbying activities pursuant to 31 U.S.C. 1352

(See next page for public burden

disclosure.)

Approved by OMB

0348-0046

1. Type of Federal Action: <input type="checkbox"/> a. contract <input type="checkbox"/> b. grant <input type="checkbox"/> c. cooperative agreement <input type="checkbox"/> d. loan <input type="checkbox"/> e. loan guarantee <input type="checkbox"/> f. loan insurance	2. Status of Federal Action: <input type="checkbox"/> a. bid/offer/application <input type="checkbox"/> b. initial award <input type="checkbox"/> c. post-award	3. Report Type: <input type="checkbox"/> a. initial offering <input type="checkbox"/> b. material change For Material Change Only: Year _____ Quarter _____ Date of last report _____
4. Name and Address of Reporting Entity: <input type="checkbox"/> Prime <input type="checkbox"/> Sub-awardee, Tier _____, <i>if known</i> _____ Congressional District, <i>if known</i> :	5. If Reporting Entity in No. 4 is Sub-awardee, Enter Name & Address Of Prime: _____ Congressional District, <i>if known</i> :	
6. Federal Department/Agency:	7. Federal Program Name/Description: CFDA Number, <i>if applicable</i> : _____	
8. Federal Action Number, if known:	9. Award Amount, if known: \$	

<p>10. a. Name and Address of Lobbying Entity (If individual, last name, first name, MI):</p> <p>(Attach continuation sheet(s) if necessary)</p>	<p>b. Individuals Performing Services (Incl. Address if different from No. 10a) (last name, first name, MI):</p>
<p>11. Amount of Payment (check all that apply):</p> <p>\$ _____</p> <p><input type="checkbox"/> Actual <input type="checkbox"/> Planned</p>	<p>13. Type of Payment (check all that apply):</p> <p><input type="checkbox"/> a. retainer</p> <p><input type="checkbox"/> b. one-time fee</p> <p><input type="checkbox"/> c. commission</p> <p><input type="checkbox"/> d. contingent fee</p> <p><input type="checkbox"/> e. deferred</p> <p><input type="checkbox"/> f. other; specify: _____</p>
<p>12. Form of Payment (check all that apply):</p> <p><input type="checkbox"/> a. cash</p> <p><input type="checkbox"/> b. in-kind; specify:</p> <p style="padding-left: 40px;">nature _____</p> <p style="padding-left: 40px;">value _____</p>	
<p>14. Brief Description of Services Performed or to be Performed and Date(s) of Service, including officer(s), employee(s), or member(s) contacted for Payment Indicated in Item 11:</p> <p style="text-align: center;">(Attach continuation sheet(s) if necessary)</p>	
<p>15. Continuation Sheet(s) attached: <input type="checkbox"/> Yes <input type="checkbox"/> No</p>	
<p>16. Information requested through this form is authorized by article 31 U.S.C. section 1352. This disclosure of lobbying activities is a material representation of fact upon which reliance was placed by the tier above when this transaction was made or entered into. This disclosure is required pursuant to 31 U.S.C. 1352. This information</p>	<p>Signature: _____</p> <p>Print Name: _____</p> <p>Title: _____</p> <p>Telephone No: _____ Date: _____</p>

will be reported to the Congress semi-annually and will be available for public inspection. Any person who fails to file the required disclosure shall be subject to civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.

Federal Use Only:

Authorized for Local Reproduction of: Standard Form - LLL


Prepared For:

Galveston County Food Bank
 Donnie VanAckeren
 624 4th Ave. N
 Texas City, TX 77590-7633
 (409)945 - 2563
 Reference ID: A26 w 3414

Presented By:

TX TRK CNTRS OF HOUS LTD
 Jamey Bird
 8900 NORTH LOOP EAST
 HOUSTON TX 77029 -
 (713)674-3444

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Model Profile
2023 RH613 6x4 (RH61F)

APPLICATION:	General Freight Regional Haul (DayCab)
MISSION:	Requested GCWR: 80000. Calc. GCWR: 80000. Calc. GVWR: 52350 Calc. Start / Grade Ability: 11.00% / 1.14% @ 65 MPH Calc. Geared Speed: 97.3 MPH
DIMENSION:	Wheelbase: 175.00, CA: 112.20, Axle to Frame: 57.00
ENGINE, DIESEL:	{International A26} EPA 2021, 410HP @ 1700 RPM, 1450 lb-ft Torque @ 900 RPM, 2100 RPM Governed Speed, 410 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 3414 RHS} 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, Less PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max Omit Item (Clutch & Control)
CLUTCH:	{Hendrickson Steertek NXT} Wide Track, Fabricated Type, 12,350-lb Capacity
AXLE, FRONT NON-DRIVING:	{Meritor MT-40-14X-4DCR-P} Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, .
AXLE, REAR, TANDEM:	433"(11mm) Wall Housing Thickness, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, R Wheel Ends Gear Ratio: 4.33
CAB:	Conventional, Day Cab
TIRE, FRONT:	(2) 295/75R22.5 Load Range G ECOPLUS HS3+ (CONTINENTAL), 519 rev/mile, 75 MPH, All- Position
TIRE, REAR:	(8) 295/75R22.5 Load Range G HDL2 DL ECO PLUS (CONTINENTAL), 507 rev/mile, 75 MPH, Drive
SUSPENSION, REAR, AIR, TANDEM:	{International} Ride Optimized Suspension (IROS), 40,000-lb Capacity, 52" Axle Spacing, 9.25" Ride Height, with Shock Absorbers
PAINT:	Cab schematic 100HW Location 1: 9219, Winter White (Std) Chassis schematic N/A

<u>Code</u>	<u>Description</u>
RH61F00	Base Chassis, Model RH613 6x4 with 175.00 Wheelbase, 112.20 CA, and 57.00 Axle to Frame.
1570	TOW HOOK, FRONT (2) Frame Mounted
1616	FRAME RAILS WITH TAPERED REAR
1CBV	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 367.4" (9333mm) Maximum OAL
1MBS	BUMPER, FRONT Contoured, Aluminum, Stainless Steel Clad, with Black Plastic Filler Panels, Less Valance Panel for Increased Ground Clearance
1WKJ	WHEELBASE RANGE 152" (385cm) Through and Including 185" (470cm)
1WLS	DECK PLATE Aluminum, (2) Sections, Flush Mounted
1WRK	PINTLE HOOK {Holland PH-30RP41} Rear, U-Bolts, Standard Position
2AUD	AXLE, FRONT NON-DRIVING {Hendrickson Steertek NXT} Wide Track, Fabricated Type, 12,350-lb Capacity
3AHN	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 12,350-lb Capacity, with Shock Absorbers
	<u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free
4092	BRAKE SYSTEM, AIR Dual System for Tractor Applications
	<u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : BRAKE PRESSURE INDICATOR Low Air Pressure Warning Light and Audible Alarm : DRAIN VALVE Manually Operated (On Wet Tank Only) : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : GLAD HANDS (2) One for Service and One for Emergency; Trailer Hoses from Cab : HAND CONTROL VALVE, AIR with Self Return Handle, for Trailer Brakes, Mounted in Instrument Panel : HOSE TENDER Back of Cab Mounted : PARKING BRAKE CONTROL Yellow and Red Knobs, Located on Instrument Panel : PARKING BRAKE VALVE Combination Valve for Tractor and Trailer : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for Forward Rear Axle : TRACTOR PROTECTION VALVE
4820	HOSE TENDER {Phillips} with Triple Spring Brackets Mounted in Common with Cab Side Extender Bracket Driver Side
4AZS	AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Electronic Stability Program, with Automatic Traction Control
4EDM	AIR DRYER {Bendix AD-HF} with Heater, Includes Pressure Protection Circuits, Safety Valve, Integral Purge Tank, Governor Pressure Settings 110 psi Cut-In/130 psi Cut-Out, Integrated PuraGuard Coalescing Filtration
4EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 SqiIn Spring Brake
	<u>Includes</u> : BRAKE CHAMBERS, POSITION (2) Rear Parking; WITH TRUCK BRAKES: All 4x2, 4x4; WITH TRACTOR BRAKES: All 4x2, 4x4; 6x4 & 6x6 with Rear Tandem Axles Less Than 46,000-lb. or GVWR Less Than 54,000-lb. : BRAKE CHAMBERS, POSITION (4) Rear Parking; WITH TRUCK BRAKES: All 6x4, 6x6; WITH TRACTOR BRAKES: 6x4 & 6x6 with Rear Tandem Axles 46,000-lb. or Greater or GVWR of 54,000-lb. or Greater
4EXV	BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 SqiIn
4LAG	SLACK ADJUSTERS, FRONT {Gunite} Automatic
4LGG	SLACK ADJUSTERS, REAR {Gunite} Automatic

<u>Code</u>	<u>Description</u>
4SPM	AIR COMPRESSOR {Bendix BA-921 Head Unload} 15.9 CFM
4VHW	AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Left Rail, Under Cab; Perpendicular to Rail
4WXR	DRAIN VALVE (2) {Berg} with Pull Chains, for Air Tanks
4XBJ	TRAILER HOSES AND CABLES {Phillips} Straight, 3 IN 1, Rubber Hose, 15' Working Length, Aluminum Glad Hands with Rubber Seals and Hand Holds, Lighting Cable with Quick Change Plug
4XDH	BRAKES, REAR {Bendix Spicer ES-165-7L} Air S-Cam Type, Light Weight Fabricated Spider, Fabricated Shoe, Single Anchor Pin, Size 16.5" X 7", 20,000-lb Capacity per Axle
4XDL	BRAKES, FRONT {Bendix Spicer ES-165-6X} Air S-Cam Type, Heavy Duty Fabricated Spider, Fabricated Shoe, Single Anchor Pin, Size 16.5" X 6", 23,000-lb Capacity
4XEE	PARK BRAKE CHAMBERS, ADDITIONAL (2) Spring Brake Type
5710	STEERING COLUMN Tilting and Telescoping
5CAW	STEERING WHEEL 4-Spoke; 18" Dia., Black
5PRV	STEERING GEAR {TRW (Ross) THP60} Power
5WAJ	POWER STEERING OIL COOLER Remote Mounted
6DGT	DRIVELINE SYSTEM {Dana Spicer} SPL170 Main Driveline with SPL170 Interaxle Shaft, for 6x4
7BEU	AFTERTREATMENT COVER Aluminum
7BLV	EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Right Side Under Cab, for Single Short Horizontal Tail Pipe, Frame Mounted Right Side Back of Cab
7SDK	ENGINE COMPRESSION BRAKE by Jacobs; for N13/A26 Engines, with Selector Switch and On/Off Switch
7WDR	TAIL PIPE (1) Horizontal, Short
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
	<u>Includes</u>
	: DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab
	: HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel
	: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever
	: HORN, ELECTRIC Single
	: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light
	: POWER SOURCE Cigar Type Receptacle with Cap, USB Port, Located in Instrument Panel
	: STARTER SWITCH Electric, Key Operated
	: TURN SIGNAL SWITCH Manual Cancelling with Lane Change Feature
	: TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted
	: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever
	: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted
	: WIRING, CHASSIS Color Coded and Continuously Numbered
8541	HORN, ELECTRIC (2) Disc Style
8GHZ	ALTERNATOR {Mitsubishi Electric Automotive America A160} Brushless, 12 Volt, 160 Amp Capacity, Pad Mount, with Remote Sense
8NBJ	BATTERY SYSTEM {JCI} Maintenance-Free, (4) 12-Volt 2800CCA Total, Top Threaded Stud
8RJW	CB RADIO Omit Power Feeds, Power Source and Wiring
8RMV	SPEAKERS (2) 6.5" Dual Cone Mounted in Doors
8RPT	RADIO AM/FM/WB/Clock/USB Input/Auxiliary Input

Code	Description
8THB	BACK-UP ALARM Electric, 102 dBA
8THU	TRAILER SOCKET 7-Way; with Battery Fed Circuit to Center Pin, with 30 Amp Fuse and Relay Controlled by Switch with Indicator Light on Instrument Panel Fed From Hot Battery Feed, When Parking Brake Is Applied, Not Wired Thru Key Switch
8TKJ	STOP, TURN, TAIL & B/U LIGHTS {Truck Lite} Super 44, with LED Lights for Stop, Turn, Tail and Backup Lights, with Power Module, "International" Termination and Less Junction Box, Includes License Plate Light
8TMN	TRAILER CONNECTION SOCKET {Phillips STA-DRY} (2) 7-Way, One Equipped with ABS Feed Mounted at Back of Cab, One Mounted at Rear of Frame
8TRG	COLLISION MITIGATION SYSTEM {Bendix Wingman Fusion} Adaptive Cruise, Enhanced Collision Mitigation, Multilane Auto & Stat Vehicle Braking, Stat Obj Alert, Roadway Depart Alert & Braking, Lane Depart Warning Switch & Spkrs, Ovrspd Alert & Action, Frt Radar & Camera, Drvr Display, Safety Direct Capable, Less Safety Direct Cable
8WAA	LIGHT, WORK {Truck Lite 81 Series} LED, Pedestal Mounted, Back of Cab, with Switch on Instrument Panel
8WBW	JUMP START STUD Remote Mounted
	<u>Includes</u> : JUMP START STUD Mounted to Battery Box
8WEZ	TURN SIGNAL SWITCH Self-Canceling
8WGU	BATTERY BOX COVER Aluminum
8WJV	BATTERY DISCONNECT SWITCH {Joseph Pollak} for Cab Power Disconnect Switch, Disconnects Power to Power Distribution Center (PDC), Does Not Disconnect Charging Circuits, Lever Operated, Cab Mounted
8WKR	WIRING, FEEDER DATA TERMINAL Cab Wiring for "Feeder Data Terminal" FDT System; Includes Extra 9-Pin Diagnostic Connector Located Behind the Instrument Panel
8WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights
8WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on
8WXB	HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position
8WXG	STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses
8XHK	BATTERY BOX Aluminum, 30" Wide, 2-4 Battery Capacity, Mounted Left Side Under Cab
8XHN	HORN, AIR Single Trumpet, Black, with Lanyard Pull Cord
8XHR	POWER SOURCE, ADDITIONAL Auxiliary Power Outlet (APO) with USB Port, Located in the Instrument Panel
8XHX	SWITCH, MARKER INTERRUPT for Marker Lights and Headlights, Located in Steering Wheel
8XJC	BATTERY WIRING MODIFICATION Battery Discharge Protection System; Control thru Body Controller
8XKC	HEADLIGHTS Halogen, with Daytime Running Lights, Automatic Twilight Controlled
9AAB	LOGOS EXTERIOR Model Badges
9AAE	LOGOS EXTERIOR, ENGINE Badges
9HAD	GRILLE Chrome
9WAY	FRONT END Tilting, Fiberglass, with Three Piece Construction
	<u>Includes</u> : BUG SCREEN Front End; Mounted Behind Grille : HOOD TILT ASSIST Includes Torsion Bar Spring System

<u>Code</u>	<u>Description</u>
9WBN	FENDER EXTENSIONS Painted
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100 <u>Includes</u> : PAINT SCHEMATIC ID LETTERS "HW"
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
10AEU	INTELLIGENT FLEET CARE Telematics Device with Over the Air Programming; Includes Five Year Data Plan, Advanced Preventive Maintenance, Fleet Health Monitor Reporting and International 360
10HHY	FIFTH WHEEL, AIR SLIDE {Fontaine SL7LWB725012} 12" Slide, Cast Top Plate, 7.25 Above Top of Frame, Left Hand Release
10WCY	SAFETY TRIANGLES
10WKJ	KEYS - ALL ALIKE, ID I-1003 Compatible with Z-001
10WRL	MUD FLAP HOLDER {Betts B-87} .750" Square, 45-Degree End, Aluminum Plate with Red and White Reflective Tape, Less Flaps
10WRW	MUD FLAPS, REAR Black Rubber, Anti-Sail, Anti-Spray, with Upper Corners Cut Off at 45-Degrees, 24"x 30", Less Holders
10WTR	QUARTER FENDERS for Rear Wheels, Black Plastic; Frame Mounted
11001	CLUTCH Omit Item (Clutch & Control)
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection
12BEV	ENGINE, DIESEL {International A26} EPA 2021, 410HP @ 1700 RPM, 1450 lb-ft Torque @ 900 RPM, 2100 RPM Governed Speed, 410 Peak HP (Max)
12THJ	FAN DRIVE {Horton Drivemaster} Automatic On/Off Type, with Normally Closed Temperature Control
12VBC	AIR CLEANER Single Element <u>Includes</u> : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted
12VJA	EMISSION, CALENDAR YEAR {International A26} EPA, OBD and GHG Certified for Calendar Year 2022
12WCX	HOSE CLAMPS, RADIATOR HOSES {Gates} Shrink Band Type
12WTB	ENGINE OIL RECOVERY SYSTEM with Aeroquip #12 Hose Fitting, Number 5602-12-12S
12WYZ	RADIATOR DRAIN & FILL FITTING SPECIAL; To Vacuum Out or Fill the Cooling System from the Bottom of Radiator, for Use with Quick-Connect Radiator Drain Tool or Shop Coolant Evacuation-Fill System
12WZJ	CARB IDLE COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal located on Driver Door
12XBC	RADIATOR Aluminum, Welded, Down Flow, Front to Back System, 1325 SqIn, with 806 SqIn Charge Air Cooler
12XCG	CRUISE CONTROL Omit Predictive Cruise Control
12XCS	CARB EMISSION WARR COMPLIANCE Federal, Does Not Comply with CARB Emission Warranty
13AYG	TRANSMISSION, AUTOMATIC {Allison 3414 RHS} 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, Less PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max
13WAW	OIL COOLER, AUTO TRANSMISSION {Modine} Water to Oil Type
13WET	TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter, Not for Use with Allison 1000 & 2000 Series Transmission

<u>Code</u>	<u>Description</u>
13WLP	TRANSMISSION OIL Synthetic; 29 thru 42 Pints
13WUV	ALLISON SPARE INPUT/OUTPUT for Highway Series (HS) and Regional Haul Series (RHS), General Purpose Trucks, Package Number 226, Modified for Single Input Auto Neutral
13XAN	PTO LOCATION Customer Does Not Intend to Install PTO
13XBG	SHIFT CONTROL PARAMETERS {Allison} 3000 or 4000 Series Transmissions, with DynActive, Dynamic Shift Sensing, Neutral at Stop-Premium, with Coast Mode and Acceleration Rate Management (FuelSense 2.0 Max)
14899	SUSPENSION AIR CONTROL VALVE Pressure Release Control In Cab
14GVL	AXLE, REAR, TANDEM {Meritor MT-40-14X-4DCR-P} Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, .433"(11mm) Wall Housing Thickness, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, R Wheel Ends . Gear Ratio: 4.33
	<u>Includes</u> : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light
14UPZ	SUSPENSION, REAR, AIR, TANDEM {International} Ride Optimized Suspension (IROS), 40,000-lb Capacity, 52" Axle Spacing, 9.25" Ride Height, with Shock Absorbers
14WMJ	AXLE, REAR, LUBE {EmGard FE-75W-90} Synthetic Oil; 50 thru 64.99 Pints
15960	FUEL TANK STRAPS Bright Finish Stainless Steel, for Dual Fuel Tanks
15BAA	DEF TANK COVER Stainless Steel
15EAC	FUEL TANK (2) Top Draw, Non-Polished Aluminum, 26" Dia, 80 US Gal (303L); Total Capacity 160 US Gal (606L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Back of Cab/Under Sleeper
15LKZ	FUEL/WATER SEPARATOR {Davco Fuel Pro 382} Includes Water-in-Fuel Sensor
	<u>Includes</u> : LOCATION FUEL/WATER SEPARATOR Mounted Left Rail in Wheel Well
15WDN	DEF TANK 15.9 US Gal (60L) Capacity, Frame Mounted Outside Left Rail, Back of Cab/Under Sleeper
15WHD	ANTI-SIPHON DEVICE (2) Snap-In Type, Zinc Plated Steel, for Dual Fuel Tanks; for Cylindrical Fuel Tanks
16030	CAB Conventional, Day Cab
	<u>Includes</u> : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CONSOLE, CENTER Includes Two Cup Holders and One Additional Storage Area : COURTESY LIGHT (2) Driver and Passenger Door Mounted : DOME LIGHT, CAB Rectangular, Door and Instrument Panel Mounted Switch Activated, Timed Theater Dimming, Center Mounted, Integral to Console : FLOOR COVERING Rubber, Black : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (4) "B" Pillar and Door Mounted, Two Each Side : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : READING LIGHT, CAB Located in Overhead Console : STORAGE POCKET, DOOR (2) Full Length, Driver and Passenger Door
16BAM	AIR CONDITIONER with Integral Heater and Defroster
	<u>Includes</u> : HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps
16DAP	CAB INTERIOR TRIM ACCENT Seat Fabric, Black

<u>Code</u>	<u>Description</u>
16GEG	GAUGE CLUSTER Premium Level; English with English Electronic Speedometer <u>Includes</u> : GAUGE CLUSTER DISPLAY: Base Level (3" Monochromatic Display), Premium Level (5" LCD Color Display); Odometer, Voltmeter, Diagnostic Messages, Gear Indicator, Trip Odometer, Total Engine Hours, Trip Hours, MPG, Distance to Empty/Refill for : GAUGE CLUSTER Speedometer, Tachometer, Engine Coolant Temp, Fuel Gauge, DEF Gauge, Oil Pressure Gauge, Primary and Secondary Air Pressure : WARNING SYSTEM Low Fuel, Low DEF, Low Oil Pressure, High Engine Coolant Temp, Low Battery Voltage (Visual and Audible), Low Air Pressure (Primary and Secondary)
16HCS	GAUGE, TEMPERATURE, AMBIENT Sensor Wiring with Display Unit Mounted in Cluster
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster
16JCJ	SEAT, DRIVER {National Model HP} Air Suspension, High Back, Mordura Cloth, 2 Arm Rests, Isolator, 3-14 Degree Back Recline, 3 Chamber Air Lumbar, 23" Wide Cushion, 6 Position Front Cushion Adjust, 3 Position Rear Cushion Adjust, Bellows
16SNH	MIRROR, CONVEX, HOOD MOUNTED (2) Right and Left Sides, Bright
16SNU	MIRRORS (2) Aero Pedestal, Power Adjust, Heated, Bright Heads, Black Arms, 6.5" x 14" Flat Glass, Includes 6.5" x 6" Convex Mirrors, for 102" Load Width <u>Notes</u> : Mirror Dimensions are Rounded to the Nearest 0.5"
16SRM	SEAT, PASSENGER {National} Non Suspension, High Back with Integral Headrest, Mordura Cloth, with Fixed Back, with Under Seat Storage
16VCC	SEAT BELT All Orange; 1 to 3
16VKB	CAB INTERIOR TRIM Classic, for Day Cab <u>Includes</u> : DOOR TRIM, INTERIOR Black Handle : INSTRUMENT PANEL TRIM Black, Black Gauges with Black Bezels : SUN VISOR (2) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Toll Ticket Strap
16VLV	MONITOR, TIRE PRESSURE Omit
16WJU	WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature
16XCM	CAB DOOR LOCKS Power, Driver Side Only; Non-Locking When Door Open
16XCX	TELEMATICS BRACKET with Universal Mount, 1" Ball Mount Size, Mounted to Plate, Flush Mounted, Upper Left Corner on Front Face of the Wing Panel
16XJP	INSTRUMENT PANEL Wing Panel
16XYM	AERODYNAMIC PACKAGE Includes Roof Air Deflector, Cab Side Extenders; for Day Cab, Paint and Install at the Plant
16ZHL	ACCESS, CAB AND FRAME Aluminum, Driver & Passenger Sides, Two Steps per Door; Left Side Frame Access Step, Includes One Flush Mounted Deck Plate and Black Grab Handle, for use with Day Cab or Sleeper Cab
27DWC	WHEELS, FRONT {Alcoa ULT39} DISC; 22.5x8.25 Rims, High Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs
28DWC	WHEELS, REAR {Alcoa ULT39} DUAL DISC; 22.5x8.25 Rims, High Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs
29ACD	TIRE VALVE CAP Flo-Thru Design
29SAJ	HUB CAPS (2) {Stemco} Front with Oversize Opening.

<u>Code</u>	<u>Description</u>
29WLK	WHEEL BEARING, FRONT, LUBE {EmGard FE-75W-90} Synthetic Oil
35864	PAINT FENDER EXTENSIONS Single Color; Same as Number One Cab Schematic Color
7702495425	(8) TIRE, REAR 295/75R22.5 Load Range G HDL2 DL ECO PLUS (CONTINENTAL), 507 rev/mile, 75 MPH, Drive
7702495443	(2) TIRE, FRONT 295/75R22.5 Load Range G ECOPLUS HS3+ (CONTINENTAL), 519 rev/mile, 75 MPH, All-Position
810000	FIFTH WHEEL LOCATION On Rear Axle Centerline

Services Section:

40125	WARRANTY Standard for LT/RH Series, Effective with Vehicles Built January 2, 2016 or Later, CTS-2010A
40PRK	SRV CONTRACT, EXT ENGINE/AFTR {Navistar} To 60-Month/250,000 Miles (400,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines

Body/Allied Equipment

<u>Code</u>	<u>Description</u>
Goods Purchased	
<u>Code</u>	<u>Description</u>


Prepared For:

Galveston County Food Bank
 Donnie VanAckeren
 624 4th Ave. N
 Texas City, TX 77590-7633
 (409)945 - 2563
 Reference ID: Air/Air

Presented By:

TX TRK CNTRS OF HOUS LTD
 Jamey Bird
 8900 NORTH LOOP EAST
 HOUSTON TX 77029 -
 (713)674-3444

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Model Profile
2023 MV607 SBA (MV607)

AXLE CONFIG:	4X2
APPLICATION:	Dry Van
MISSION:	Requested GVWR: 25999. Calc. GVWR: 25999. Calc. GCWR: 0 Calc. Start / Grade Ability: 29.20% / 2.23% @ 55 MPH Calc. Geared Speed: 89.1 MPH
DIMENSION:	Wheelbase: 254.00, CA: 186.90, Axle to Frame: 114.00
ENGINE, DIESEL:	{Cummins B6.7 260} EPA 2021, 260HP @ 2400 RPM, 660 lb-ft Torque @ 1600 RPM, 2600 RPM Governed Speed, 260 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 2500 RDS} 5th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, with 33,000-lb GVW and GCW Max
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Hendrickson Steertek NXT} Fabricated Type, 10,000-lb Capacity
AXLE, REAR, SINGLE:	{Dana Spicer S140} Single Reduction, 19,000-lb Capacity, 190 Wheel Ends Gear Ratio: 5.57
CAB:	Conventional, Day Cab
TIRE, FRONT:	(2) 11R22.5 Load Range G HSR2 (CONTINENTAL), 498 rev/mile, 75 MPH, All-Position
TIRE, REAR:	(4) 11R22.5 Load Range G HDR2+ (CONTINENTAL), 491 rev/mile, 75 MPH, Drive
SUSPENSION, REAR, AIR, SINGLE:	{International IROS} 20,000-lb Capacity, 9.25" Ride Height, with Shock Absorbers Mounted Outside the Rails
PAINT:	Cab schematic 100WP Location 1: 9219, Winter White (Std) Chassis schematic N/A

Code	Description
MV60700	Base Chassis, Model MV607 SBA with 254.00 Wheelbase, 186.90 CA, and 114.00 Axle to Frame.
1ANA	AXLE CONFIGURATION {Navistar} 4x2
	<u>Notes</u> : Pricing may change if axle configuration is changed.
1CAD	FRAME RAILS High Strength Low Alloy Steel (80,000 PSI Yield); 10.250" x 3.092" x 0.375" (260.4mm x 78.5mm x 9.5mm); 455.0" (11557mm) Maximum OAL
1LEG	LICENSE PLATE HOLDER Includes Upper & Lower Mounting Plate Hardware, Mounted in Existing Holes in Front Bumper
1LNN	BUMPER, FRONT Contoured, Steel, Chrome Plated
1SAL	CROSSMEMBER, REAR, AF (1)
1WAC	BUMPER EXTENSION, FRONT 4.0"
1WEJ	WHEELBASE RANGE 199" (505cm) Through and Including 254" (645cm)
2AVK	AXLE, FRONT NON-DRIVING {Hendrickson Steertek NXT} Fabricated Type, 10,000-lb Capacity
3ADB	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 10,000-lb Capacity, with Shock Absorbers
	<u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications
	<u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4/8x6
4732	DRAIN VALVE {Berg} with Pull Chain, for Air Tank
4AZS	AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Electronic Stability Program, with Automatic Traction Control
4EDN	AIR DRYER {Bendix AD-9SI} with Heater, Includes Safety Valve
4EXP	BRAKE CHAMBERS, FRONT AXLE {Bendix} 20 SqIn
4EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 SqIn Spring Brake
4LAG	SLACK ADJUSTERS, FRONT {Gunitite} Automatic
4LGG	SLACK ADJUSTERS, REAR {Gunitite} Automatic
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM
4VKH	AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Right Rail, Under Cab
4VLE	AIR DRYER LOCATION Mounted Inside Engine Compartment, Right Side
4XDC	BRAKES, FRONT {Meritor 15X4 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 15" X 4", 13,200-lb Capacity
4XDR	BRAKES, REAR {Meritor 16.5X7 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 7", 23,000-lb Capacity per Axle

<u>Code</u>	<u>Description</u>
5708	STEERING COLUMN Tilting
5CAW	STEERING WHEEL 4-Spoke; 18" Dia., Black
5PSA	STEERING GEAR {Sheppard M100} Power
6DGJ	DRIVELINE SYSTEM {Dana Spicer} Service Free SPL100, for 4x2/6x2
7BME	EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Under Right Rail Back of Cab, Includes Single Short Horizontal Tail Pipe
7SCP	ENGINE EXHAUST BRAKE for Cummins ISB/B6.7/ISL/L9 Engine with Variable Vane Turbo Charger
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
	<u>Includes</u>
	: DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab
	: HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel
	: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever
	: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light
	: STARTER SWITCH Electric, Key Operated
	: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector
	: TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature
	: TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted
	: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever
	: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted
	: WIRING, CHASSIS Color Coded and Continuously Numbered
8518	CIGAR LIGHTER Includes Ash Cup
8GXD	ALTERNATOR {Leece-Neville AV1160P2013} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount, with Remote Sense
8HAB	BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn
8MJT	BATTERY SYSTEM {Fleetrite} Maintenance-Free, (2) 12-Volt 1900CCA Total, Top Threaded Stud
8RMH	BATTERY DISCONNECT SWITCH {Cole-Hersee 75920-06} 300 Amp, Disconnects Charging Circuits, Locks with Padlock, Battery Box Mounted
8RMZ	SPEAKERS (2) 6.5" Dual Cone Mounted in Both Doors, (2) 5.25" Dual Cone Mounted in Both B-Pillars
8RPB	RADIO, AUXILIARY CONTROLS Mounted in Steering Wheel, Radio Function Control Switch, Includes Volume Up/Down, Mute, Forward/Back and Bluetooth Answer/Disconnect
8RPR	ANTENNA for Increased Roof Clearance Applications
8RPS	RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input
8TRG	COLLISION MITIGATION SYSTEM {Bendix Wingman Fusion} Adaptive Cruise, Enhanced Collision Mitigation, Multilane Auto & Stat Vehicle Braking, Stat Obj Alert, Roadway Depart Alert & Braking, Lane Depart Warning Switch & Spkrs, Ovrspd Alert & Action, Frt Radar & Camera, Drvr Display, Safety Direct Capable, Less Safety Direct Cable
8VBE	HORN, ELECTRIC (1) Trumpet Style
8VUX	BATTERY BOX Steel, with Plastic Cover, 25" Wide, 2-3 Battery Capacity, Mounted Right Side Under Cab
8WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights

<u>Code</u>	<u>Description</u>
8WWJ	INDICATOR, LOW COOLANT LEVEL with Audible Alarm
8WXD	ALARM, PARKING BRAKE Electric Horn Sounds in Repetitive Manner When Vehicle Park Brake is "NOT" Set, with Ignition "OFF" and any Door Opened
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses
8XHN	HORN, AIR Single Trumpet, Black, with Lanyard Pull Cord
8XHR	POWER SOURCE, ADDITIONAL Auxiliary Power Outlet (APO) with USB Port, Located in the Instrument Panel
8XKL	STARTING MOTOR {Mitsubishi Electric Automotive America 90P47} 12-Volt, with Soft-Start
8XNZ	HEADLIGHTS Halogen, with Daytime Running Lights
9AAB	LOGOS EXTERIOR Model Badges
9AAE	LOGOS EXTERIOR, ENGINE Badges
9HCY	GRILLE Molded in Black, with Chrome Surround
9WBN	FENDER EXTENSIONS Painted
9WBW	FRONT END Tilting, Fiberglass, with Three Piece Construction, Dual Air Intakes
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100
	<u>Includes</u> : PAINT SCHEMATIC ID LETTERS "WP"
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
10WCY	SAFETY TRIANGLES
10WGD	SPECIAL RATING, GVWR Limited to 25,999-lb GVWR
10WKJ	KEYS - ALL ALIKE, ID I-1003 Compatible with Z-001
11001	CLUTCH Omit Item (Clutch & Control)
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection
12EMZ	VENDOR WARRANTY, ENGINE {Cummins} B6.7 Engine, 3-Year Unlimited Miles Standard Warranty
12ERJ	ENGINE, DIESEL {Cummins B6.7 260} EPA 2021, 260HP @ 2400 RPM, 660 lb-ft Torque @ 1600 RPM, 2600 RPM Governed Speed, 260 Peak HP (Max)
12TSY	FAN DRIVE {Borg-Warner SA85} Viscous Type, Screw On
	<u>Includes</u> : FAN Nylon
12VCE	AIR CLEANER Single Element, Fire Retardant Media
12VJB	EMISSION, CALENDAR YEAR {Cummins B6.7} EPA, OBD and GHG Certified for Calendar Year 2022
12VXT	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel
12VYP	ENGINE CONTROL, REMOTE MOUNTED No Provision for Remote Mounted Engine Control
12WPV	OIL PAN 15 Quart Capacity, For Cummins ISB/B6.7 Engines
12WZE	CARB IDLE COMPLIANCE Federal, Does Not Comply with California Clean Air Idle Regulations
12XCC	RADIATOR Aluminum, 2-Row, Down Flow, Front to Back System, 640 SqIn Louvered, with 383 SqIn Charge Air Cooler, Includes In-Tank Oil Cooler
12XCS	CARB EMISSION WARR COMPLIANCE Federal, Does Not Comply with CARB Emission Warranty

<u>Code</u>	<u>Description</u>
13ATH	TRANSMISSION, AUTOMATIC {Allison 2500 RDS} 5th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, with 33,000-lb GVW and GCW Max
13WLN	TRANSMISSION OIL Synthetic; 20 thru 28 Pints
13WVS	TRANSMISSION SHIFT CONTROL T-Handle
13WVV	NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released
13WYY	SHIFT CONTROL PARAMETERS {Allison} 1000 or 2000 Series Transmissions, Performance Programming
13XAL	PTO LOCATION Customer Intends to Install PTO at Left Side of Transmission
14899	SUSPENSION AIR CONTROL VALVE Pressure Release Control In Cab
14AJG	AXLE, REAR, SINGLE {Dana Spicer S140} Single Reduction, 19,000-lb Capacity, 190 Wheel Ends, Gear Ratio: 5.57
14TDU	SUSPENSION, REAR, AIR, SINGLE {International IROS} 20,000-lb Capacity, 9.25" Ride Height, with Shock Absorbers Mounted Outside the Rails
15LMR	FUEL/WATER SEPARATOR {Racor 400 Series,} with Primer Pump, Includes Water-in-Fuel Sensor
15LRE	LOCATION FUEL/WATER SEPARATOR Mounted Under Hood, Left Side, Above Front Axle
15SGG	FUEL TANK Top Draw, Non-Polished Aluminum, D-Style, 19" Tank Depth, 70 US Gal (265L), Mounted Left Side, Under Cab
15WDG	DEF TANK 7 US Gal (26L) Capacity, Frame Mounted Outside Left Rail, Under Cab
16030	CAB Conventional, Day Cab
	<u>Includes</u> : CLEARANCE/MARKER LIGHTS (5) Flush Mounted
16BAM	AIR CONDITIONER with Integral Heater and Defroster
16GEG	GAUGE CLUSTER Premium Level; English with English Electronic Speedometer
	<u>Includes</u> : GAUGE CLUSTER DISPLAY: Base Level (3" Monochromatic Display), Premium Level (5" LCD Color Display); Odometer, Voltmeter, Diagnostic Messages, Gear Indicator, Trip Odometer, Total Engine Hours, Trip Hours, MPG, Distance to Empty/Refill for : GAUGE CLUSTER Speedometer, Tachometer, Engine Coolant Temp, Fuel Gauge, DEF Gauge, Oil Pressure Gauge, Primary and Secondary Air Pressure or Auxiliary Air Pressure (if Air Equipped) : WARNING SYSTEM Low Fuel, Low DEF, Low Oil Pressure, High Engine Coolant Temp, Low Battery Voltage (Visual and Audible), Low Air Pressure, Primary and Secondary (if Air Equipped)
16HCS	GAUGE, TEMPERATURE, AMBIENT Sensor Wiring with Display Unit Mounted in Cluster
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster
16HLU	VIRTUAL GA, OIL TEMP,AUTO XMSN for Allison Transmission, Requires Premium Cluster
16JNT	SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, with 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust
16SMP	SEAT, TWO-MAN PASSENGER {National} Vinyl, Less Under Seat Storage Compartment
16SNV	MIRRORS (2) Aero Pedestal, Power Adjust, Heated, Turn Signals, Bright Heads, Black Arms, 6.5" x 14" Flat Glass, Includes 6.5" x 6" Convex Mirrors, for 102" Load Width
	<u>Notes</u> : Mirror Dimensions are Rounded to the Nearest 0.5"
16SSC	MIRROR, CONVEX, HOOD MOUNTED (2) Right and Left Sides, Breakaway, Bright

<u>Code</u>	<u>Description</u>
16VKB	CAB INTERIOR TRIM Classic, for Day Cab
	<u>Includes</u> : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger : DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Overhead Console, Center Mounted : SUN VISOR (2) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Toll Ticket Strap
16VLM	CAB REAR SUSPENSION Rubber Suspension, for Low Cab Height
16WBY	ARM REST, RIGHT, DRIVER SEAT
16WJU	WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature
16WLS	FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood
16XCW	CAB, INTERIOR TRIM, CLOSEOUT Under IP, Driver Side
16XJN	INSTRUMENT PANEL Flat Panel
16ZBT	ACCESS, CAB Steel, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab and Extended Cab
27DVN	WHEELS, FRONT {Accuride 42644} DISC; 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
28DVN	WHEELS, REAR {Accuride 42644} DUAL DISC; 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
60AKG	BDY INTG, PTO ACCOMMODATION for (3) Latched Rocker Switches, (1) PTO Switch, (2) Generic Switches to Control (3) 30 amp relays, with Programmable Interlocks, for Body Builder Hook up in the Engine Compartment Left Side, Recommended for Automatic Transmissions
7372135415	(2) TIRE, FRONT 11R22.5 Load Range G HSR2 (CONTINENTAL), 498 rev/mile, 75 MPH, All-Position
7372135444	(4) TIRE, REAR 11R22.5 Load Range G HDR2+ (CONTINENTAL), 491 rev/mile, 75 MPH, Drive

Services Section:

40129	WARRANTY Standard for MV Series, Effective with Vehicles Built July 1, 2017 or Later, CTS-2020A
40UDD	SRV CONTRACT, EXT CMS ENG/AFTR {Cummins} To 60-Month/250,000 Miles (400,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only)

Body/Allied Equipment

<u>Code</u>	<u>Description</u>
1	Morgan 24FT Reefer Box w/ Maxon BMRB-44 4.4K RailGate
2	ThermoKing T-1090R50 Refer w Standby

Goods Purchased

<u>Code</u>	<u>Description</u>
-------------	--------------------


Prepared For:

Galveston County Food Bank
 Donnie VanAckeren
 624 4th Ave. N
 Texas City, TX 77590-7633
 (409)945 - 2563
 Reference ID: 56K

Presented By:

TX TRK CNTRS OF HOUS LTD
 Jamey Bird
 8900 NORTH LOOP EAST
 HOUSTON TX 77029 -
 (713)674-3444

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Model Profile
2023 MV607 SBA (MV607)

AXLE CONFIG:	6X4
APPLICATION:	Stake Flat
MISSION:	Requested GVWR: 54000. Calc. GVWR: 54000. Calc. GCWR: 0 Calc. Start / Grade Ability: 20.58% / 1.91% @ 55 MPH Calc. Geared Speed: 78.2 MPH
DIMENSION:	Wheelbase: 266.00, CA: 198.90, Axle to Frame: 124.00
ENGINE, DIESEL:	{Cummins L9 350} EPA 2021, 350HP @ 2200 RPM, 1050 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 350 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 3000 RDS} 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Meritor MFS-14-122A} I-Beam Type, 14,000-lb Capacity
AXLE, REAR, TANDEM:	{Meritor MT-40-14X-4DFR-P} Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, .433"(11mm) Wall Housing Thickness, R Wheel Ends Gear Ratio: 5.29
CAB:	Conventional, Day Cab
TIRE, FRONT:	(2) 12R22.5 Load Range H HSR2 (CONTINENTAL), 483 rev/mile, 75 MPH, All-Position
TIRE, REAR:	(8) 11R22.5 Load Range G HDR2+ (CONTINENTAL), 491 rev/mile, 75 MPH, Drive
SUSPENSION, REAR, AIR, TANDEM:	{International} Ride Optimized Suspension (IROS) Heavy Duty, 40,000-lb Capacity, 52" Axle Spacing, 9.25" Ride Height, Includes Heavy Duty Spring Hangers, Crossmembers and Fasteners, with Shock Absorbers
PAINT:	Cab schematic 100WP Location 1: 9219, Winter White (Std) Chassis schematic N/A

<u>Code</u>	<u>Description</u>
MV60700	Base Chassis, Model MV607 SBA with 266.00 Wheelbase, 198.90 CA, and 124.00 Axle to Frame.
1570	TOW HOOK, FRONT (2) Frame Mounted
1AND	AXLE CONFIGURATION {Navistar} 6x4
	<u>Notes</u> : Pricing may change if axle configuration is changed.
1CAH	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.375" x 3.705" x 0.438" (263.5mm x 94.1mm x 11.1mm); 456.0" (11582mm) Maximum OAL
1LEG	LICENSE PLATE HOLDER Includes Upper & Lower Mounting Plate Hardware, Mounted in Existing Holes in Front Bumper
1LNN	BUMPER, FRONT Contoured, Steel, Chrome Plated
1SAL	CROSSMEMBER, REAR, AF (1)
1WAC	BUMPER EXTENSION, FRONT 4.0"
1WEP	WHEELBASE RANGE 226" (575cm) Through and Including 291" (740cm)
2AST	AXLE, FRONT NON-DRIVING {Meritor MFS-14-122A} I-Beam Type, 14,000-lb Capacity
3ADD	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 14,000-lb Capacity, with Shock Absorbers
	<u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications
	<u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4/8x6
4732	DRAIN VALVE {Berg} with Pull Chain, for Air Tank
4AZS	AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Electronic Stability Program, with Automatic Traction Control
4EXP	BRAKE CHAMBERS, FRONT AXLE {Bendix} 20 SqiIn
4EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 SqiIn Spring Brake
4LAA	SLACK ADJUSTERS, FRONT {Haldex} Automatic
4LGA	SLACK ADJUSTERS, REAR {Haldex} Automatic
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM
4VKH	AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Right Rail, Under Cab
4XDP	BRAKES, FRONT {Meritor 16.5X5 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 5", 14,700-lb Capacity
4XDR	BRAKES, REAR {Meritor 16.5X7 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 7", 23,000-lb Capacity per Axle
4XEE	PARK BRAKE CHAMBERS, ADDITIONAL (2) Spring Brake Type

<u>Code</u>	<u>Description</u>
5710	STEERING COLUMN Tilting and Telescoping
5CAW	STEERING WHEEL 4-Spoke; 18" Dia., Black
5PSA	STEERING GEAR {Sheppard M100} Power
6DGS	DRIVELINE SYSTEM {Dana Spicer} SPL140 Main Driveline with SPL170 Interaxle Shaft, for 6x4
7BME	EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Under Right Rail Back of Cab, Includes Single Short Horizontal Tail Pipe
7SDP	ENGINE COMPRESSION BRAKE {Jacobs} for Cummins ISL/L9 Engines; with Selector Switch and On/Off Switch
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
	<u>Includes</u>
	: DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab
	: HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel
	: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever
	: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light
	: STARTER SWITCH Electric, Key Operated
	: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector
	: TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature
	: TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted
	: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever
	: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted
	: WIRING, CHASSIS Color Coded and Continuously Numbered
8518	CIGAR LIGHTER Includes Ash Cup
8718	POWER SOURCE Cigar Type Receptacle without Plug and Cord
8GXD	ALTERNATOR {Leece-Neville AVI160P2013} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount, with Remote Sense
8HAB	BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn
8MSG	BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud
8RMH	BATTERY DISCONNECT SWITCH {Cole-Hersee 75920-06} 300 Amp, Disconnects Charging Circuits, Locks with Padlock, Battery Box Mounted
8RMV	SPEAKERS (2) 6.5" Dual Cone Mounted in Doors
8RPP	ANTENNA Shark Fin, Roof Mounted
8RPS	RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input
8THB	BACK-UP ALARM Electric, 102 dBA
8TRG	COLLISION MITIGATION SYSTEM {Bendix Wingman Fusion} Adaptive Cruise, Enhanced Collision Mitigation, Multilane Auto & Stat Vehicle Braking, Stat Obj Alert, Roadway Depart Alert & Braking, Lane Depart Warning Switch & Spkrs, Ovrspd Alert & Action, Frt Radar & Camera, Dvr Display, Safety Direct Capable, Less Safety Direct Cable
8VBE	HORN, ELECTRIC (1) Trumpet Style
8VUX	BATTERY BOX Steel, with Plastic Cover, 25" Wide, 2-3 Battery Capacity, Mounted Right Side Under Cab

Code	Description
8WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights
8WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on
8WTK	STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt, Less Thermal Over-Crank Protection
8WWJ	INDICATOR, LOW COOLANT LEVEL with Audible Alarm
8WXB	HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position
8WXD	ALARM, PARKING BRAKE Electric Horn Sounds in Repetitive Manner When Vehicle Park Brake is "NOT" Set, with Ignition "OFF" and any Door Opened
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses
8XHN	HORN, AIR Single Trumpet, Black, with Lanyard Pull Cord
8XHR	POWER SOURCE, ADDITIONAL Auxiliary Power Outlet (APO) with USB Port, Located in the Instrument Panel
8XNZ	HEADLIGHTS Halogen, with Daytime Running Lights
9AAB	LOGOS EXTERIOR Model Badges
9AAE	LOGOS EXTERIOR, ENGINE Badges
9HAN	INSULATION, UNDER HOOD for Sound Abatement
9HBN	INSULATION, SPLASH PANELS for Sound Abatement
9HCY	GRILLE Molded in Black, with Chrome Surround
9WBN	FENDER EXTENSIONS Painted
9WBW	FRONT END Tilting, Fiberglass, with Three Piece Construction, Dual Air Intakes
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100
	<u>Includes</u> : PAINT SCHEMATIC ID LETTERS "WP"
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
10WCY	SAFETY TRIANGLES
10WKJ	KEYS - ALL ALIKE, ID I-1003 Compatible with Z-001
10WUE	MUD FLAPS, FRONT WHEELS (2) Rubber, Mounted on Fender Extension
11001	CLUTCH Omit Item (Clutch & Control)
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection
12ESN	ENGINE, DIESEL {Cummins L9 350} EPA 2021, 350HP @ 2200 RPM, 1050 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 350 Peak HP (Max)
12THT	FAN DRIVE {Horton Drivemaster} Two-Speed Type, Direct Drive, with Residual Torque Device for Disengaged Fan Speed
	<u>Includes</u> : FAN Nylon
12VCE	AIR CLEANER Single Element, Fire Retardant Media
12VJC	EMISSION, CALENDAR YEAR {Cummins L9} EPA, OBD and GHG Certified for Calendar Year 2022
12VXT	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel
12VYP	ENGINE CONTROL, REMOTE MOUNTED No Provision for Remote Mounted Engine Control

<u>Code</u>	<u>Description</u>
12WTA	FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted
12WZE	CARB IDLE COMPLIANCE Federal, Does Not Comply with California Clean Air Idle Regulations
12XCA	RADIATOR Aluminum, 3-Row, Down Flow, Front to Back System, 837 SqIn Louvered, with 477 SqIn Charge Air Cooler, Includes In-Tank Oil Cooler
12XCS	CARB EMISSION WARR COMPLIANCE Federal, Does Not Comply with CARB Emission Warranty
13AVR	TRANSMISSION, AUTOMATIC {Allison 3000 RDS} 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway
13WET	TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter, Not for Use with Allison 1000 & 2000 Series Transmission
13WLP	TRANSMISSION OIL Synthetic; 29 thru 42 Pints
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS) and Regional Haul Series (RHS), General Purpose Trucks, Construction, Package Number 223
13WVV	NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released
13WYU	SHIFT CONTROL PARAMETERS {Allison} 3000 or 4000 Series Transmissions, Performance Programming
13XAL	PTO LOCATION Customer Intends to Install PTO at Left Side of Transmission
14899	SUSPENSION AIR CONTROL VALVE Pressure Release Control In Cab
14GVU	AXLE, REAR, TANDEM {Meritor MT-40-14X-4DFR-P} Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, .433"(11mm) Wall Housing Thickness, R Wheel Ends . Gear Ratio: 5.29
14UNU	SUSPENSION, REAR, AIR, TANDEM {International} Ride Optimized Suspension (IROS) Heavy Duty, 40,000-lb Capacity, 52" Axle Spacing, 9.25" Ride Height, Includes Heavy Duty Spring Hangers, Crossmembers and Fasteners, with Shock Absorbers
14WMJ	AXLE, REAR, LUBE {EmGard FE-75W-90} Synthetic Oil; 50 thru 64.99 Pints
15LMR	FUEL/WATER SEPARATOR {Racor 400 Series,} with Primer Pump, Includes Water-in-Fuel Sensor
15LRE	LOCATION FUEL/WATER SEPARATOR Mounted Under Hood, Left Side, Above Front Axle
15SGG	FUEL TANK Top Draw, Non-Polished Aluminum, D-Style, 19" Tank Depth, 70 US Gal (265L), Mounted Left Side, Under Cab
15WDG	DEF TANK 7 US Gal (26L) Capacity, Frame Mounted Outside Left Rail, Under Cab
16030	CAB Conventional, Day Cab
	<u>Includes</u> : CLEARANCE/MARKER LIGHTS (5) Flush Mounted
16BAM	AIR CONDITIONER with Integral Heater and Defroster
16GEG	GAUGE CLUSTER Premium Level; English with English Electronic Speedometer
	<u>Includes</u> : GAUGE CLUSTER DISPLAY: Base Level (3" Monochromatic Display), Premium Level (5" LCD Color Display); Odometer, Voltmeter, Diagnostic Messages, Gear Indicator, Trip Odometer, Total Engine Hours, Trip Hours, MPG, Distance to Empty/Refill for : GAUGE CLUSTER Speedometer, Tachometer, Engine Coolant Temp, Fuel Gauge, DEF Gauge, Oil Pressure Gauge, Primary and Secondary Air Pressure or Auxiliary Air Pressure (if Air Equipped) : WARNING SYSTEM Low Fuel, Low DEF, Low Oil Pressure, High Engine Coolant Temp, Low Battery Voltage (Visual and Audible), Low Air Pressure, Primary and Secondary (if Air Equipped)

Code	Description
16HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} with Black Bezel, Mounted in Instrument Panel
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster
16JNT	SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, with 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust
16SML	SEAT, TWO-MAN PASSENGER {National} Fixed Back, Integrated Headrest in Both Occupant Positions, Vinyl, Less Under Seat Storage Compartment
16SNV	MIRRORS (2) Aero Pedestal, Power Adjust, Heated, Turn Signals, Bright Heads, Black Arms, 6.5" x 14" Flat Glass, Includes 6.5" x 6" Convex Mirrors, for 102" Load Width
	Notes : Mirror Dimensions are Rounded to the Nearest 0.5"
16SSC	MIRROR, CONVEX, HOOD MOUNTED (2) Right and Left Sides, Breakaway, Bright
16VKB	CAB INTERIOR TRIM Classic, for Day Cab
	Includes : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger : DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Overhead Console, Center Mounted : SUN VISOR (2) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Toll Ticket Strap
16VLK	CAB REAR SUSPENSION Air Suspension, for Mid Cab Height
16WBY	ARM REST, RIGHT, DRIVER SEAT
16WHJ	HOSE CLAMPS, HEATER HOSE {Breeze} Belleville Washer Type
16WJU	WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature
16WLS	FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood
16WSE	LOW WASHER FLUID INDICATOR
16XCW	CAB, INTERIOR TRIM, CLOSEOUT Under IP, Driver Side
16XJN	INSTRUMENT PANEL Flat Panel
16ZBT	ACCESS, CAB Steel, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab and Extended Cab
27DVN	WHEELS, FRONT {Accuride 42644} DISC; 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
28DVN	WHEELS, REAR {Accuride 42644} DUAL DISC; 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
60AKG	BDY INTG, PTO ACCOMMODATION for (3) Latched Rocker Switches, (1) PTO Switch, (2) Generic Switches to Control (3) 30 amp relays, with Programmable Interlocks, for Body Builder Hook up in the Engine Compartment Left Side, Recommended for Automatic Transmissions
7372135444	(8) TIRE, REAR 11R22.5 Load Range G HDR2+ (CONTINENTAL), 491 rev/mile, 75 MPH, Drive
7382155415	(2) TIRE, FRONT 12R22.5 Load Range H HSR2 (CONTINENTAL), 483 rev/mile, 75 MPH, All-Position

Services Section:

40129	WARRANTY Standard for MV Series, Effective with Vehicles Built July 1, 2017 or Later, CTS-2020A
-------	---

<u>Code</u>	<u>Description</u>
40UDT	SRV CONTRACT, EXT CMS ENG/AFTR {Cummins} To 60-Month/250,000 Miles (400,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only)

Body/Allied Equipment

<u>Code</u>	<u>Description</u>
1	ThermoKing T-1090 Reefer w Standby w 30Gal Tank
2	Morgan 26FT Reefer Box w Maxon BMRB-5500KBS Gate

Goods Purchased

<u>Code</u>	<u>Description</u>
-------------	--------------------